

KULIN-SOHN

INSURANCE AGENCY, INC

Inflatable Equipment Supplement

1623 Colonial Parkway, Suite 201, Inverness, IL 60067
 Phone: 800-640-6601 Fax: 847-991-4351 E-mail: Gmnst33@aol.com

Insured's Name: _____

1. Please provide the following information for each inflatable:

	Inflatable 1	Inflatable 2	Inflatable 3	Inflatable 4
Type				
Model/Name				
Serial Number				
Height & Length				
Date manufactured				
Manufacturer				
Purchased new or used?				
If purchased used, through dealer or other?				
Constructed of flame-resistant materials?				
Does inflatable have emergency exits?				

2. Are manufacturer's guidelines regarding specifications, setup, maintenance, and repair available, and have they been reviewed by all gym employees responsible for supervising inflatables? Yes No
3. Have gym employees responsible for supervising inflatables received training on how to operate and safely manage activities with the inflatable according to manufacturer's guidelines? Yes No
4. Are gym employees responsible for supervising inflatables equipped with a whistle or other type of signaling device so they can take appropriate action at the first sign of misbehavior or violation of posted rules? Yes No
5. If the inflatable is a slide, is there a cover or netting to prevent standing & jumping from the top? Yes No
6. Do inflatables leave the inside gymnastics facility? Yes No
7. Do birthday party and general waivers state inflatables are used? Yes No
8. Are safety procedures listed on the outside of the inflatable? Yes No

9. If no, are written rules and procedures posted or handed out to all participants? Yes No
10. Are gym employees responsible for supervising inflatable at all times? Yes No
11. Do you keep all records pertaining to inspections/maintenance performed on the inflatables? Yes No
12. Is there a minimum of 4 feet of clearance around the inflatable or per inflatable safety standards? Yes No
13. When the inflatable is in use, do you inspect the integrity of the tie downs, netting, safety buckles, and structural integrity of the material and stitching daily? Yes No
14. Is an ABC fire extinguisher within easy reach of the inflatable? Yes No
15. Do you have at least one of the following to safeguard against unintended deflation: blower guards, non-return valve, flap fitted to the blower, or a backup inflatable device? Yes No
16. Do you rent out the inflatable? Yes No
17. Do you have a landing surface covered by adequate landing material, included but not limited to gym mats or the equivalent material, surrounding each inflatable device? Yes No
18. Do you require users to remove inappropriate attire, including hard, sharp or dangerous objects? (Examples are toys in pockets, pen, pencils, watches, jewelry, barrettes, and similar items.) Yes No
19. Do the ages of people using the inflatable agree with the manufactures age range? Yes No
20. Do you allow body contact, flips or drop kicks by users while within the inflatable? Yes No

Please send photographs of all inflatable equipment.

Note: To enforce safety standards, only allow children of similar size and weight inside the inflatable at the same time.

Insured's Signature: _____

Date: _____